



SAFETY DATA SHEET

Section 1: GENERAL INFORMATION		
TRADE NAME (Common Name or Synonym)	CHEMICAL NAME	PREPARED BY
WS-500 Solder Paste	Tin/Silver Solder Paste	Metallic Resources
USED IN INDUSTRIAL SOLDERING PROCESSES ADDRESS (No., Street, City, State, Zip Code): Metallic Resources, Inc., 2368 East Enterprise Park	way, Twinsburg, OH 44087	
CONTACT	PHONE NUMBER	
Metallic Resources, Inc.:	(330) 425-3155	
Chemtrec:	(800) 424-9300	
or contact any emergency room within 15 minutes of yo	our location.	
Hazard statement(s)		
H303 May be harmful if swallowed		
H335 May cause respiratory irritation		
Precautionary statement(s)		
P233 Keep container tightly closed		
P261 Avoid breathing dust/fume/gas/mist/vapors/spra		
P270 Do not eat, drink or smoke when using this produ	ct	
P273 Avoid release to the environment		
P280 Wear protective gloves/protective clothing/eye p	• •	
P362 Take off contaminated clothing and wash before P301 + P314 IF SWALLOWED: Get Medical advice/atten		
P302 +P352 IF ON SKIN: Wash with plenty of soap and v	•	
P304 + 341 IF INHALED: If breathing is difficult, remove preathing		position comfortable

P305 + 351 IF IN EYES: Rinse continuously with water for several minutes (15 mins)

P501 Dispose of in accordance with applicable local/state and federal regulations. Consider recycling.

POTENTIAL HEALTH EFFECTS:

- **Eye Contact:** Contact with powered metal alloy or fume from molten metal may cause irritation. Severe eye damage may result from hot molten metal being splashed into the eyes. Wear safety glasses and face shield when working with molten metal.
- **Ingestion:** Ingestion of dust may cause headache, nausea, abdominal pain, fatigue and pain in the legs, arms and joints. May be harmful.
- **Inhalation:** Inhalation of fume or dust may cause local irritation to the respiratory system. Inhalation of fume or dust may cause headache, nausea, abdominal pain, fatigue and pain in the legs, arms and joints. Inhalation can be harmful.
- **Skin Contact:** Normal handling of solid metal should not cause any adverse health effects. Hot molten metal may cause burns to the skin. Wear protective equipment when handling molten metal. Protect skin when grinding/cutting, may cause irritation.

SDS-WS500	Tin/Silver Solder Paste
Section 2:	HAZARDS IDENTIFICATION (Continued)
Chronic:	<u>TIN:</u> Has been shown to increase incidence of sarcoma in animal tests. Chronic exposure may result in "stannosis" a mild form of pneumoconiosis.
	<u>Silver:</u> Chronic skin contact or ingestion of silver dusts, salts or fume can result in a condition known as Argyria, a condition with bluish pigmentation of the skin and eyes.
	Exposure to metal fumes may cause irritation to the respiratory system. Long term exposure by inhalation to metal fumes may cause illness such as metal fume fever. Exposure to lead fume may cause harm. Sign of overexposure is anemia.
WARNING:	This product contains a chemical known to the State of California to cause cancer and/or birth defects (or other reproductive harm). (Lead)
NOTE:	Metallic Resources does not recommend, manufacturer, market or endorse any of its products for human consumption.
WARNING:	This product contains lead. Lead may be harmful to your health. US Federal law prohibits the use of leaded solders in making joints or fittings in any private or public water supply system. Keep out of the reach of children.

Section 3: COMPOSITION/INFO	RMATION ON INGREDIENTS	
Material or Substance	C.A.S. #	Wt. %
Tin	7440-31-5	95-99%
Silver	7440-22-4	1.0-4.0%
Diethylene Glycol Dibutyl Ether	112-73-2	< 1.5%
Amines, tallow alkyl, ethoxylated	61791-26-2	< 3%

Section 4: FIRST AID MEASURES

Eye Contact: Hold eyelids apart and flush eyes with plenty of tepid water for at least 15 minutes. Seek medical attention if irritation persists.

Ingestion:If patient is conscious, ONLY induce vomiting as directed by trained personnel. NEVER give
anything by mouth to an unconscious person. Seek medical attention immediately.

Inhalation:Remove to fresh air. If not breathing, give artificial respiration or oxygen by trained personnel.
Seek immediate medical attention.

Skin Contact: Remove contaminated clothing. Wash affected area with soap and water. Wash clothing before reuse. If irritation persists, obtain medical attention.

Section 5: FIRE FIGHTING MEASURES

Flash Point:	Not established	. Method:	Not established.
Auto-ignition 1	Temperature:	Not established.	
Flammable Lin	nits:	Limits not establishe be a dust hazard.	d. Massive metal is not flammable; however dust or powder may
Extinguishing I	Media:	Use extinguishers ap molten metal.	propriate for the surrounding fire conditions. Never add water to
Special Fire Fig Procedures:	hting	Firefighters must we protective clothing.	ar NIOSH approved self-contained breathing apparatus and full

Section 6: ACCIDENTA	AL RELEASE MEASURES
Spill or Leak Procedures:	Contain spill. If molten, cool to allow metal to solidify. If a solid metal, wear gloves, pick up and return to process. If dust, wear recommended personal protective equipment. DO NOT SWEEP, avoid generation of dust. Ventilation required. Use a vacuum, place in barrels and return to process if applicable. Otherwise, dispose of following all Federal, State and Local regulations. In the EU refer to the Special Waste Regulations. Metal has reclaim value.
Section 7: HANDLING	
Handling Precautions:	Only dry metals should be added to molten bath. If working with molten metals, or exposed to fume or dust, use appropriate personal protective equipment.
Storage Precautions:	Store product in a cool, dry area away from incompatible materials.
Section 8: EXPOSURE	CONTROLS/PERSONAL PROTECTION
Engineering Controls:	Exhaust ventilation is required to control any air contaminants containing lead. Control concentration of all components so that their permissible exposure limits are not exceeded.
Personal protection:	
Eyes:	Chemical safety glasses/goggles and face shield with molten metal.
Respirator:	An authority approved or compliant marked air-purifying respirator with a fume/dust chemical cartridge is recommended under certain circumstances where airborne concentrations are expected to be elevated or if in powder form. Avoid inhalation of lead dust. Additional respiratory protection may be required based on the work conditions.
Skin:	Gloves-leather or impervious (vinyl) type. Heat resistant gloves if handling hot metal. Safety type boots. Personal protective equipment is recommended when working with molten metal to avoid burns.
Other:	Lab coat, safety shower and eye-wash fountain in work area. Avoid the use of contact lenses in high fume areas.
Work/Hygienic Practices:	Maintain good housekeeping. Clean up spills immediately. Good personal hygiene is essential. Avoid eating, smoking or drinking in the work area. Wash hands thoroughly with soap and water immediately upon leaving the work area. Follow standard lead work practices as established under governmental regulations.

Section 9: PHYSICAL AND CHEMICAL PROPERTIES

A COLDENIE AT DETEACE MEACUDE

Appearance:Silver grey solid metalOdor:OdorlessSpecific Gravity:Alloy DependentVapor Pressure:Not applicable.Vapor Density:(air=1) Not applicable.

Boiling Point:Not applicable.Melting Point:423°F (217°C)pH:Not applicableSolubility in Water:InsolubleFlash point:Not applicable

Section 10: STABILITY AND REACTIVITY

General:	Stable.
Conditions to Avoid:	Not established.
Incompatible Materials:	Avoid contact with mineral acids.
Hazardous Decomposition /	Harmful organic fumes and toxic oxide fumes may form at elevated
Combustion:	temperatures.
Hazardous Polymerization:	Will not occur.

Section 11: TOXICALOGICAL INFORMATION

Carcinogenicity: National Toxicity Program (NTP): No Occupational Safety & Health Administration (OSHA): No U.N. International Agency for Research on Cancer (IARC): No LD50: Not established LC50: Not established Other: Irritancy of Product: Not established Mutagenicity: Not established Sensitization to Product: Not established Teratogenicity: Not established **Reproductive Toxicity:** No specific data is available Synergistic Products: Not established

RTECS#: Tin – XP7320000 (Registry of Toxic Effects of Chemical Substances)

Section 12: ECOLOGICAL INFORMATION

Product mixture not tested.

Section 13: DISPOSAL CONSIDERATION

Waste Disposal Method: Scrap metal alloy usually has value. Contact a commercial reclaimer for recycling. Otherwise, dispose in accordance with all Federal, State and Local environmental regulations. In Europe follow the Special Waste Regulations. Avoid release to the environment.

Section 14: TRANSPORT INFORMATION

Transport in accordance with applicable regulations and requirements. Not regulated under US DOT (United States Department of Transportation).

Metal solid form:

Not hazardous under shipping modes/ regulations.

UN - none

Section 15: REGULATORY INFORMATION

UNITED STATES

HCS Classification: Irritating material, target organ effects.

U.S. Federal Regulations:TSCA 5(a)2 proposed risk management: SILVER.TSCA 5(a)2 final significant new use rules. No products were found.TSCA 12(b) one time export. No products were found.

SARA 313	Substance Name
Form R - Reporting Requirements:	Silver
Supplier Notification:	Silver

WHMIS (Canada): Not controlled under WHMIS (Canada).

Reach Directive: This product does not contain any Substances of Very High Concern (SVHC).

Section 16: OTHER INFORMATION

ABBREVIATION TERMS:

ACGIH American Conference of Government Industrial Hyg	5	OSHA Occupational Safety and Healt
CAS Chemical Abstracts Service	PEL	Permissible Exposure Limit
CEPA Canadian Environmental Protection Act	REL	Recommended Exposure Limit
IARC International Agency for Research on Cancer	SARA	Superfund Amendments & Reauthoriza

NIOSH National Institute for Occupational Safety and Health

NTP National Toxicology Program

- th Act
- zation Act
- TSCA Toxic Substances Control Act
- N/A Not Applicable, Not Available

Issue Date: 5/1/15 Revised Date: 12/1/2023

Disclaimer Notice: The information contained herein in this Safety Data Sheet is believed to be accurate. However, it provides no warranties, either express or implied, and assumes no responsibility for the accuracy or completeness of the data contained herein. The customer/user of this product assumes all liability and risk in the use of this product.